SEP-12-1997 10:40	I	TEM	# 365	05		F.00
MATERIA	AL 5.	pared Accord		1910.1200)	Effective Date 8-2	20-97
HP Products Corp.				item #36505	Hazardous Materiais identif Health	cation System
4220 Saguaro Trail Indianapolis, IN Product Name: LEMON Emergency Telephone No.: 1-800-228-	OIL FUR	NITUR	IE POL	ISH)	Flammability Reactivity	0
Telephone No. for Information: 317.29	8,9950 or 800.382	.5326 ECTION 2	- INGRED		Minimum Personal Pro	
<u>CHEMICAL NAME</u> 1. Silicone Emulsion 2. Deionized Water 3. Liquefied Petroleum Gas(LPG)	<u>CAS NO.</u> NA 7732-18-5 68476-85-7	<u>WT.%</u> 10-15 80-85 5-10	<u>PEL</u> NA NA 1000 ppm	NA NA NA 1000 ppm	<u>SARA TITLE Soc. 313</u> no no no	CARCINOGEN no no no

SECTIONISI-PHYSICAL DATA- Boiling Range (F): NA Specific Gravity: (H2O=1): <1.0 Vapor Pressure:117 psig at 130'F Yapor Denalty: (Air =1):>1 Solubility in Water: Negligible pH: 10.0 ± 0.4 Evaporation Rate: (Ether=1):<1 Physical Description: Aerosol spray with characteristic odor.	SECTION 4 - FIRE AND EXPLOSION HAZARD DATA Aerosol Flammability: Non-Flammable as described by 16 CFR 1500.45. Upper Explosive Limit: 9.2 Lower Explosive Limit: 1.8 Extinguishing Media: Carbon dioxide/foam or dry chemical. Special Fire Fighting Procedures: Containers should be cooled with water to prevent pressure build-up. Unusual Fire and Explosion Hazards: Heated cans may burst. SECTION 6- STORAGE AND HANDLING INFORMATION
SECTION 5- REACTIVITY DATA Stability: Stable Hazardous Polymerization: Will not occur. Incompatibility (Material to avoid): Oxidizing agents. Hazardous Decomposition Products: Hazardous materials may be formed in small amounts. SECTION 7- HEALTH H	Precautions to be Taken in Handling and Storage: Avoid breathing vapors. Keep out of reach of children. For use by trained personnel only. Use with adequate ventilation. Store as level 1 Aerosol (NFPA 30B) AZARDS AND FIRST AID:
Effects of Overexposure: Primary Route of Entry: Skin: Mild irritant. Eyes: Burning and irritation. Inhelation: Dizziness, drowsiness and throat irritation. Ingestion: Low toxicity.	First Aid Procedures: Skin: Wash affected areas with scap and water, seek medical attention if initation occurs. Eyes: Flush with large quantities of water, seek medical attention if imitation occurs. Inhalation: Remove to fresh air and provide oxygen if breathing is difficult. Ingestion: Seek medical attention.
Respiratory Protection: No special requirements.	I OTECTION INFORMATIONS Ventilation: Provide local exhaust to keep TLV of Section 2 ingredients below acceptable limit. Eve Protection: Safety glasses recommended.

Protective Gloves: Not normally required.

Eye Protection: Safety glasses recommended.

Work/Hygienic Practices: Ensure strict sanitary conditions are conformed to when using chemicals.

SECTION 9 - SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled: Mop up or otherwise absorb and hold for disposal.

Waste Disposal Method: Do not puncture or incinerate containers. Dispose of in accordance with local, state and federal regulations.

ND - Nat Determined NE - Not Established NA - Not Applicable

While the information set fourth herein is believed to be accurate as of the date hereof, the Company makes no warranty or guarantee, express or implied, and discisims all liability arising out of the use of this information.



PAGE.08

(

. .

.

.

(

.

MATERIAL SAFETY DATA SHEET (MODO)

	•							
DENTITY (As Used		URE POLISH 19 OZ						
	DENTITY (As Used On Label and List): FURNITURE POLISH 19 OZ.							
Emergency Med	ical Teleph	one Number	1-800-228-5635	(24 H	RS)			
PRODUCT HAZARD RATINGS: - Health = 1, Fire = 1, Reactivity = 0, Protective Equipment = 0, Safety Glass (Rating Legend: - 4 = Extreme, 3 = Serious, 2 = Moderate, 1, = Slight, 0 = Minimal)								
Section I	,							
SPRAYWAY, INC. 484 VISTA		TELEPHONE NUMBER FOR INFORMATION: 1-708-628-3000						
ADDISON L 60101	•		DATE PREPARED: 02/10/92 NAME OF PREPARER: Philip T. Miller					
Section II - Haza	ardous Ingr	edients/Identity	Information					
Chemical Names		Exposure Limits (LD50-Oral Rat)		ACGIH TLV/TWA	OSHA % By Wt PEL			
iquified Petroleum C lon Hazardous Ingred	Fas (CAS# 6847 lients		•	1000ppm NA	1000ppm 5 - Balanc			
Section III - Phy			1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		• •			
oiling Point: NA olubility/Water: >10 ⁰ ppearance and Odor:	Lemon odor,	Vapor Pressure (psig) Vapor Density (AIR= cone spray.	: 117@130F 1): >1	Specific Gravity Evaporation Rat				
Section IV - Fire	and Explo	sion Hazard Da	ta					
erosol Flammability: lammable Limits - % xtinguishing Media: pecial Fire Fighting I lse equipment or shie nusual Fire and Expl ame or heat contact s	Volume In Al Carbon dioxid Procedures: Co Iding, as requir losion Hazards:	r (Propellant): e, foam and/or dry c ontainers should be c red, to protect persor At elevated temper	LEL: 1.8 chemical may be use coled with water to nnel from bursting, atures (over 54C-13	UEL: 9.2 d. prevent vapor p rupturing or ven 0F) containers e	ressure build up. ting containers.			
	ctivity Data	I ,	· .	 •				
Section V - Read			Hazardous	Data ant attant	NT A			
tability: : Stable acompatibility <i>(Mater</i> azardous Decomposit	ials to Avoid):	Heat, open flame a	nd oxidizing agents	·				
tability: : Stable acompatibility (<i>Mater</i> azardous Decomposit nounts.	ials to Avoid): ion Products: Do not store :	Heat, open flame a Carbon monoxide an above 54C-130F. Ke	nd oxidizing agents nd additional toxic (chemicals may b	e formed in small			
tability: A Stable acompatibility (Mater azardous Decomposit nounts. nditions to Avoid:	ials to Avoid): ion Products: Do not store :	Heat, open flame a Carbon monoxide an above 54C-130F. Ke	nd oxidizing agents nd additional toxic (chemicals may b	e formed in small			

(

:

811

P24

Section VI - Health Hazard Data

Route(s) of Entry -Inhalation: XEyes: XSkin: XIngestion: Xligns and Symptoms of Exposure:Inhalation may cause dizziness, drowsiness and throat irritation. Eyeontact may be irritating.Skin contact may cause slight redness.Ingestion of aerosols is not a likely route.'roduct is of low toxicity.

roduct is of low toxicity. fedical Conditions Generally Aggravated by Exposure: Preexisting skin or eye disorders may be aggravated by xposure to this product.

imergency and First Ald Procedures: Eye Contact: Flush eyes with plenty of water for 15 minutes while olding eyelids open. Get medical attention if irritation persists. Skin Contact: Remove contaminated clothing. Iush skin with water, follow by washing with soap and water. If irritation occurs, get medical attention. Do not euse clothing until cleaned. Inhalation: Remove victim to fresh air and provide oxygen if breathing is difficult. Five artificial respiration if not breathing. Get medical attention. Ingestion: Get medical attention.

Section VII - Precautions for Safe Handling and Use

teleases or Spilled: Remove all sources of ignition and ventilate area. Soak up spill with an inert absorbent nd place into a designated disposal container. Consult local regulatory agency for proper disposition of material. Vaste Disposal Method: Do not puncture or incinerate containers. When contents are depleted continue to epress button until all gas is expelled. Dispose of container in accordance with local, state, and federal egulations.

Iandling And Storing: Avoid breathing vapor. Keep away from heat and flame. Use with adequate entilation. Do not puncture or incinerate containers. Do not expose to direct sunlight or store at temperatures bove 130F (54C). Store as Level 1 Aerosol (NFPA 30B).

ther Precautions: Please read and follow the directions on the product label; they are your best guide to sing this product in the most effective way, and give the necessary safety precautions to protect your health.

Section VIII - Employee Protection

espiratory Protection (Type): None required if good ventilation is maintained. If exposure exceeds ccupational exposure limits (Sec. II), use a NIOSH approved respirator to prevent overexposure. 'entilation: Local exhaust is adequate under normal conditions, mechanical ventilation is optional. rotective Gloves: Chemical resistant gloves.

ye Protection: Chemical safety glasses are recommended.

ther Protective Clothing or Equipment: Wear impervious clothing to prevent skin contact. /ork/Hygienic Practices: Ensure strict sanitary conditions are conformed to when working around chemicals. rotective clothing and equipment should be in accordance with 29 CFR 1910.132 and CFR 1910.133.

Bection IX-Other Regulatory Controls

overnmental Listings: Ingredients of this product are listed on the EPA/TSCA Inventory of Chemical Substances.

Section X-Transportation (D.O.T. Classification)

hipping Name: Consumer Commodity

Hazard Class: ORM-D

ND-- Not Determined

G - Negligible NA-- Not Applicable NE-- Not Established UN-- Unavailable

thile the information set forth herein is believed to be accurate as of the date hereof, the Company makes no warranty r guarantee, express or implied, and disclaims all liability arising out of the use of this information.