

M A BRUDER & SONS INC -- RUST-O-LASTIC, 2614 HOLLY GREEN, 1256809
-- 8010-00N048724

==== Product Identification =====

Product ID:RUST-O-LASTIC, 2614 HOLLY GREEN, 1256809
MSDS Date:07/21/1989
FSC:8010
NIIN:00N048724
MSDS Number: CDNSL
=== Responsible Party ===
Company Name:M A BRUDER & SONS INC
Address:630 N THIRD ST
City:TERRE HAUTE
State:IN
ZIP:47806-1508
Country:US
Info Phone Num:812-234-6621
Emergency Phone Num:800-424-9300 (CHEMTREC)
CAGE:1Y265

==== Contractor Identification ===

Company Name:M A BRUDER & SONS INC
Address:630 N THIRD ST
Box:City:TERRE HAUTE
State:IN
ZIP:47806-1508
Country:US
Phone:812-234-6621
CAGE:1Y265

==== Composition/Information on Ingredients =====

Ingred Name:ING 16:BREATH, REQG PROMPT MED ATTN. CNS EFTS (TEMPORARY
MUSCULAR WEAK & LOSS OF COORD). EYE CORR & PERM INJURY.(ING 18)
RTECS #:9999999ZZ

Ingred Name:ING 17:INGS 6,13:LAB STUDIES W/RATS HAVE SHOWN KIDNEY DMG &
KIDNEY/LIVER TUMORS; HOWEVER, SEVERAL STUDIES EVAL (ING 19)
RTECS #:9999999ZZ

Ingred Name:ING 18:PETRO WORKERS HAVE NOT SHOWN SIGNIFICANT INCRS OF
THIS. INGS 7,14:SKIN:ABSORBED IN HARMFUL AMTS. ING 7: (ING 20)
RTECS #:9999999ZZ

Ingred Name:ING 19:INCR IN CARBOXYHEMOGLOBIN LEVELS, RSLTG IN REDUCED
LEVEL OF OXYG IN BLOOD. MUTAGENIC. ING 10:LUNG CANCERS(ING 21)
RTECS #:9999999ZZ

Ingred Name:ING 20:WERE FOUND IN RATS @ 250 MG/M3. ANALYSIS SHOWED LUNG
CLEARANCE MECH WAS OVERWHELMED & RSLTS NOT RELEVANT (ING 22)
RTECS #:9999999ZZ

Ingred Name:ING 21:TO WORKPLACE. ING 11:IRREG HEART BEATS IN ANIMALS &
OCCAS PALPITATIONS IN HUMANS. RATS (AT VERY HIGH (ING 23)
RTECS #:9999999ZZ

Ingred Name:ING 22:LEVELS) HAVE EXHIBITED HIGH FREQUENCY HEARING

DEFICITS; UNKNOWN TO MAN. ING 14:HIGH CONCS HAVE CAUSED (ING 24)
RTECS #:9999999ZZ

Ingred Name:ING 23:EMBRYOTOXIC EFFECTS IN LAB ANIMALS.
RTECS #:9999999ZZ

Ingred Name:OTHER PREC:APPRVD RESP/APPROP VENT. DO NOT PUNCTURE. DO NOT
SPRAY NEAR FIRE/OPEN FLAME. CONT NEHC FOR MORE INFO .
RTECS #:9999999ZZ

Ingred Name:ALKYD RESIN
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:SOLVENT NAPHTHA (PETROLEUM), LIGHT AROMATIC; (AROMATIC
HYDROCARBON). VP:10 @ 20C.
CAS:64742-95-6
RTECS #:WF3400000
Other REC Limits:50 PPM (MFR)
OSHA PEL:25 PPM (MFR)
ACGIH TLV:25 PPM (MFR)

Ingred Name:COMPLEX INORGANIC BLUE PIGMENT; (FERRIC FERROCYANIDE
PIGMENT)
CAS:14038-43-8
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:ARIEN; (HYDROCARBON RESIN)
CAS:64742-16-1
RTECS #:CF2550000
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:PROPANE; (LIQUIFIED COMPRESSED GAS)
CAS:74-98-6
RTECS #:TX2275000
OSHA PEL:1000 PPM
ACGIH TLV:ASPHYXIAN

Ingred Name:SOLVENT NAPHTHA (PETROLEUM) MEDIUM ALIPHATIC; (MEDIUM
MINERAL SPIRITS)
CAS:64742-88-7
Other REC Limits:100 PPM (MFR)
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:METHANE, DICHLORO-; (METHYLENE CHLORIDE) (SARA 313)
(CERCLA). VP:348 @ 20C.
CAS:75-09-2
RTECS #:PA8050000
Other REC Limits:100 PPM, S (MFR)
OSHA PEL:500 PPM
ACGIH TLV:50 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:NON-HAZARDOUS POLYMER (TYPE NOT SPECIFIED)
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:SILICONE RESIN
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:TITANIUM OXIDE; (TITANIUM DIOXIDE)
CAS:13463-67-7
RTECS #:XR2275000
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST

Ingred Name:TOLUENE (SARA 313) (CERCLA). VP:36.7 @ 20C.
CAS:108-88-3
RTECS #:XS5250000
OSHA PEL:200 PPM
ACGIH TLV:50 PPM, S
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:TOLUIDINE PIGMENT
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:VM & P NAPHTHA
CAS:64742-89-8
Other REC Limits:100 PPM (MFR)
OSHA PEL:N/K
ACGIH TLV:300 PPM (MFR)

Ingred Name:XYLENE (SARA 313) (CERCLA). VP:25 @ 20C.
CAS:1330-20-7
RTECS #:ZE2100000
OSHA PEL:100 PPM
ACGIH TLV:100 PPM;150 STEL
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:SUPDAT:& SAFE HNDLG & EXPOS INFO. INGS
2,7,11,14:LIVER/KIDNEY INJURY. ING 2:TOX TO FETUS IN LAB ANIMALS
(ING 16)
RTECS #:9999999ZZ

Ingred Name:ING 15:AT DOSES TOXIC TO MOTHER. INGS 5,7:SKIN BURNS. ING
5:MODEST INITIAL IRRIT, FOLLOWED BY SEV SHORTNESS OF (ING 17)
RTECS #:9999999ZZ

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:CHLOROCARBON MATLS HAVE PRDCD SENSIT
OF MYOCARDIUM TO EPINEPHRINE IN LAB ANIMALS & COULD HAVE SIMILAR
EFT IN HUMANS. ADRENOMIMETICS (E.G., EPINEPHRINE) MAY BE

CONTRAINDICATED EXCEPT FOR LIFE-SUSTAINING USES IN HUMANS
ACUTELY/CHRONICALLY EXPOSED TO CHLOROCARBONS . INGEST:GI DISTRESS.
INHAL:NOSE & (EFFECTS OF OVEREXPOSURE)

Explanation of Carcinogenicity:METHYLENE CHLORIDE:IARC MONOGRAPHS,
SUPPLEMENT, VOL 7, PG 194, 1987:GROUP 2B. NTP 7TH ANNUAL REPORT ON CARCINOGENS,
1994:ANTICIPATORY (SUPPLEMENTARY DATA)

Effects of Overexposure:HEALTH HAZARD:THROAT IRRITATION; CNS EFFECTS (DIZZINESS, HEADACHE,
NAUSEA, STAGGERS, CONFUSION & UNCOORDINATED). REPORTS HAVE ASSOCIATED REPORTED & PREDICTED
OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN & NERVOUS SYSTEM DAMAGE. EYE WATERING, HEADACHES,
NAUSEA, DIZZINESS & LOSS OF COORDINATION ARE SIGNS THAT SOLVENT LEVELS ARE TOO
HIGH. EYE CONTACT:IRRITATION/BURNING. SKIN CONTACT:IRRITATION WITH DISCOMFORT & DERMATITIS.
NOTE: (SUPPLEMENTARY DATA)

Medical Condition Aggravated by Exposure:HEAVY SMOKERS & THOSE WITH HEART
DISEASE MAY EXPERIENCE INCREASED RISK OF HEART PROBLEMS.

===== First Aid Measures =====

First Aid:INGESTION:CALL MEDICAL IMMEDIATELY & HAVE NAMES OF INGREDIENTS
AVAILABLE. DO NOT INDUCE VOMITING. INHALATION:REMOVE TO FRESH AIR. IF
NOT BREATHING, GIVE ARTIFICIAL RESPIRATION, PREFERABLY MOUTH TO
MOUTH. IF BREATHING DIFFICULTY PERSISTS OR OCCURS LATER, CONSULT
MEDICAL. EYES:IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15
MINUTES; CALL MEDICAL. SKIN:WASH WITH SOAP & WATER. IF IRRITATION OCCURS
CONTACT MEDICAL.

===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:<20F,<-7C
Extinguishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL.
Fire Fighting Procedures:WEAR NIOSH APPROVED PRESSURE DEMAND SCBA & FULL
PROTECTIVE EQUIPMENT . WATER MAY BE INEFFECTIVE. WATER FROM FOG NOZZLE MAY BE USED TO
COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD UP.
Unusual Fire/Explosion Hazard:THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE HCL &
PHOSGENE . CONTENTS UNDER PRESSURE. KEEP AT ROOM TEMPERATURE AS EXPOSED TO
SUNLIGHT/OTHER HEAT MAY CAUSE CANS TO BURST, (SUPPLEMENTARY DATA)

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. REMOVE SOURCES OF IGNITION.
PREVENT SKIN CONTACT & BREATHING OF VAPOR. CONFINE & REMOVE WITH INERT
ABSORBENT.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT BREATHE VAPORS OR MISTS. KEEP
AWAY FROM HEAT, SPARKS & FLAME. DO NOT STORE >120F. DO NOT EXPOSE
TO DIRECT SUNLIGHT TO AVOID BURSTING.
Other Precautions:NO SMOKING IN AREA OF USE. DO NOT USE IN VICINITY OF
ARC WELDING, OPEN FLAMES/HOT SURFACES. HEAT &/OR UV RADIATION MAY CAUSE
FORMATION OF HCL &/OR PHOSGENE . OBSERVE LABEL PRECAUTIONS. DO NOT SAND, FLAME
CUT, BRAZE/WELD DRY COATING WITHOUT NIOSH (INGREDIENT 25)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR APPROPRIATE, PROPERLY FITTED NIOSH APPROVED

RESPIRATORY DURING & AFTER APPLICATION UNLESS AIR MONITORING
DEMONSTRATES VAPOR OR MIST LEVELS ARE BELOW APPLICABLE LIMITS.
FOLLOW RESPIRATOR MANUFACTURER'S DIRECTIONS FOR RESPIRATOR USE.
Ventilation:PROVIDE SUFFICIENT VENTILATION IN VOLUME & PATTERN TO KEEP
CONTAMINANTS BELOW APPLICABLE OSHA REQUIREMENTS.

Protective Gloves:NEOPRENE GLOVES.

Eye Protection:ANSI APPROVED CHEM WORKERS GOGGLES .

Other Protective Equipment:ANSI APPROVED EYE WASH FOUNTAIN & DELUGE
SHOWER . COVERALLS. PROT CREAMS MAY BE USED FOR EASE OF CLEAN-UP,
NOT PROT.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING & BEFORE EATING
& SMOKING.

Supplemental Safety and Health

EXPLO HAZ:PROPELLING CONTENTS ACROSS AREA. EXPLAN OF CARCIN:TO BE
CARCIN. ANIMAL:LUNG, LIVER, SALIVARY, MAMMARY GLAND (TUMORS). EFTS
OF OVEREXP:TOLUENE APPEARS ON NAVY LIST OF OCCUP CHEM REPRO HAZS. S
EEK CONSULTATION FROM APPROP HLTH PROFESSIONALS CONCERNING LATEST
HAZ LIST INFO(ING 15)

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:<0F,<-18C

Vapor Pres:SEE INGS

Vapor Density:HVR/AIR

Spec Gravity:0.74

Evaporation Rate & Reference:FASTER THAN ETHER

Solubility in Water:MOD-APPRECIABLE

Appearance and Odor:NONE SPECIFIED BY MANUFACTURER.

Percent Volatiles by Volume:92

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE REASONABLY FORESEEABLE.

Stability Condition to Avoid:DO NOT STORE ABOVE 120F.

Hazardous Decomposition Products:HCL, PHOSGENE . CO, CO*2, SMOKE,
OXIDES OF HEAVY METALS REPORTED IN INGREDIENTS SECTION.

===== Disposal Considerations =====

Waste Disposal Methods:DO NOT ALLOW MATERIAL TO CONTAMINATE GROUND
WATER SYSTEMS. INCINERATE ABSORBED MATERIAL I/A/W FEDERAL, STATE &
LOCAL REQUIREMENTS. DO NOT INCINERATE IN CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.