

MATERIAL SAFETY DATA SHEET

IDENTITY: BRASS NICKEL PLATED KEY BLANKS

SECTION I - MANUFACTURER'S INFORMATION

Kaba Ico Corp
400 Jeffreys Road
Rocky Mount, NC 27802

Emergency Phone Number: (252) 446-3321
Phone Number for Info: (252) 446-3321 Ext. 301
Date Revised: April 27, 2001
MSDS Prepared By: John Allen

SECTION II - INGREDIENTS/IDENTITY INFORMATION

ELEMENTS	CAS NUMBER OSHA PEL	ACGIH TLV	% COMPOSITION BY WEIGHT
Copper	7440-50-8 1.00	1.00	59 - 61.5
Lead	7439-92-1 0.05	0.15	Less than 1.5
Iron	7439-89-6 10.0	5.00	Less than 0.35
Zinc	7440-66-6 5.00	5.00	Remainder to 100%
Nickel	7440-02-0 1.00	1.00	Less than 0.3 (Base) 100% (Plating)
Tin	7440-31-5 2.00	2.00	Less than .1
Aluminum	7429-90-5 -	10.0	Less than .05
Silicone	7440-31-5 1.00	2.00	Less than .01

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: N/A Specific Gravity (Water = 1): 7.5 - 9.0
Vapor Pressure (mm Hg): N/A Melting Point: 1650°F
Vapor Density (AIR = 1): N/A Evaporation Rate: N/A
Butyl Acetate = 1
Solubility in Water: Nil
Appearance and Odor: Yellow to Gold/Silver if Nickel Plated and has no odor

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): N/A Flammable Limits: N/A LEL: N/A UEL: N/A
Extinguishing Media: N/A
Special Fire Fighting Procedures: Avoid contact between molten metal and water
Unusual Fire and Explosion Hazards: Material reacts with acids, bases and oxidizers

SECTION V - REACTIVITY DATA

Stability: Unstable () Conditions to Avoid: Contact between molten metal and water
Stable (X)
Incompatibility (Materials to Avoid): Material reacts with acids, bases and oxidizers
Hazardous Decomposition or Byproducts: No fumes upon contact with nitric acid
Hazardous Polymerization: May Occur () Conditions to Avoid: Contact between molten metal and water
Will Not Occur (X)

BRASS NICKEL PLATED KEYS

SECTION VI - HEALTH HAZARD DATA

Route(s) of Entry:	Inhalation? Avoid dust fumes	Skin? Not likely	Ingestion? N/A for material as shipped
--------------------	---------------------------------	---------------------	---

Health Hazards (Acute & Chronic): Primary Routes of Entry: Inhalation of dust or fumes. No toxic effects are expected in its solid inert form. Avoid fume dust while cutting.

Signs & Symptoms of Exposure: Eye, nose and throat irritation. A metallic taste, chills, nausea, cough and muscle aches.

Medical Conditions Generally Aggravated by Exposure: Inhalation of Cu fumes may cause irritation of eyes, nose, throat and a flu like illness called metal fume fever.

Emergency and First Aid Procedures: **Eye Contact** - Flush well with water. Get medical attention. **Skin Contact** - If irritation develops, remove contaminated clothing and wash with soap and water. **Inhalation** - Remove to fresh air, get medical attention.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps To Be Taken In Case Material Is Released Or Spilled: No special precautions are necessary for spills in bulk material. Large quantities of dust may be removed by vacuuming or wet sweeping.

Waste Disposal Method: Waste or residue from this material must be disposed of in accordance with Federal, State and Local laws.

Precautions To Be Taken In Handling and Storing: None

SECTION VIII - CONTROL MEASURES

Respiratory Protection (Specify Type): When cutting or biting, wear approved respirators for protection against dust.

Ventilation: Local exhaust required.

Protective Gloves: Wear appropriate protective gloves.

Eye Protection: Safety glasses, goggles, face shield

Other Protective Clothing or Equipment: No special clothing required for normal machining operations.

Work/Hygienic Practices: Utilize normal personal hygiene.

DISCLAIMER

The information in this MSDS was obtained from sources, which we believe are reliable. However, the information is provided without any representation or warranty, express or implied regarding the accuracy or corrections.

The conditions or methods of handling, storage, uses and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

This document has been prepared for the intent of compliance with the provisions of Subpart 2 of Part 1910 of Title 29 of the Code of Federal Regulations, paragraph 1910.1200.